

Tiffany, Bruce

From: Cargill, Dan (ECY) [DACA461@ECY.WA.GOV]
Sent: Tuesday, December 19, 2006 11:51 AM
To: Jennie Goldberg; beth.schmoyer@seattle.gov; Kris Flint; Tiffany, Bruce
Cc: Winstanley, Iris
Subject: FW: Emailing: ki16_rush_data_20061218154421.pdf
Attachments: ki16_rush_data_20061218154421.pdf; SKMBT_C35206121819500.pdf

This does not look good. I talked to Carl and urged him to TV lines now to try to figure this out.

I also pushed the idea of stormwater treatment. It looks like two lines are affected, which makes the volume a potential problem.

The soil borings done in preparing to route lines around OWS 186 came back. There are PCBs in the 200 ppm range in the 1-2 ft and 5-6 ft depths.

Boeing Everett removed PCB caulk a couple of yearss ago. They found more PCBs in their stormwater sediments and tested the new caulk material. Found PCBs in percent levels again. They are trying to figure out why.

Carl is having samples of their new caulk taken this week.

Dan
425-649-7023

From: Bach, Carl M [mailto:carl.m.bach@boeing.com]
Sent: Tuesday, December 19, 2006 11:10 AM
To: Cargill, Dan (ECY)
Subject: FW: Emailing: ki16_rush_data_20061218154421.pdf

From: Joe Kalmar [mailto:JKalmar@landauinc.com]
Sent: Monday, December 18, 2006 8:01 PM
To: Bach, Carl M
Cc: Kris Hendrickson
Subject: FW: Emailing: ki16_rush_data_20061218154421.pdf

Carl,

Here are some preliminary data from ARI from the recent storm drain PCB sampling. As Kelly mentions, they still need to run some dilutions because some of the results are out of the instrument's range.

Unfortunately, it looks like the PCB sampling results are generally similar to the results from samples collected prior to the storm drain system cleaning earlier this year. I have attached a hand marked-up figure showing the current preliminary sampling results as compared to the previous results.

I'll forward along the final data after I receive them from ARI tomorrow.

12/19/2006

KCSlip4 57165

SEA423469

Joe Kalmar, P.E.
Landar Associates, Inc.
Office: (425) 778-0907
Direct: (425) 329-0281
www.landarinc.com

-----Original Message-----
From: Kelly Bottem [mailto:kellyb@arilabs.com]
Sent: Monday, December 18, 2006 3:42 PM
To: Joe Kalmar
Subject: Emailing: kil6_rush_data_20061218154421.pdf

I am still waiting on a few dilutions. I will have the data in the morning.

Thanks,

K

The message is ready to be sent with the following file or link attachments:
kil6_rush_data_20061218154421.pdf

Note: To protect against computer viruses, e-mail programs may prevent
sending or receiving certain types of file attachments. Check your e-mail
security settings to determine how attachments are handled.

12/19/2006

KCSlip4 57166

SEA423470

